

Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

III. A Letter from Charles Price, Esq; of Trinity-Coll. Oxon, relating to the Villi of the Stomach of Oxen, and the Expansion of the Cuticle through the Ductus Alimentalis. Communicated by Dr. F. Nicholls, F. R. S. and Præl. Anat. Oxon.

Trinity-Coll. Oxon, July the 28th, 1728.

Dear SIR,

IN Pursuance of your Advice, I have spent some Part of this Summer in enquiring into the more intimate Constitution of the alimentary Passage of large Animals; in Hopes that the Analogy between them and human Subjects may lead us into a more perfect Knowledge of our own Structure.

In the Stomach of the Cow I find two Things well worth observing: The first is, that the Villi composing the Villous Coat, (which are in Man so very small as to be scarce visible when examined separately) are in this Animal so very large, as to



allow an exact Scrutiny into their Structure. Each Villus is formed by a Duplicature of the internal Lamina of the vascular Coat; from which it receives three Blood Vessels, as in the annex'd Figure, which represents one of the Villi of the Stomach of an Ox magnify'd. Whether or no the two Side-vessels are Arteries, and the Middle-vessel a Vein; and whether those similar Branches arising from the Side-vessels

veilels are fecretory Ducts carrying a Fluid from those Arteries into the Cavity of the Stomach, making a Kind of Rivus perpetually running through the Ductus

Alimentalis, I must leave others to judge.

The other Thing remarkable in the Stomachs of these large Animals is, that their internal Surface is covered by a Production of the Cuticle, which descends from the Lips quite through the alimentary Passage. I am induced to believe, that the Cuticle is continued through the Intestines as well in Man, as in large Animals; though its exceeding Fineness may make it less observable.

I have fent you a Piece of the first Stomach of an Ox, in which the Vessels running in the Villi are filled with Wax, and the Cuticle raised in Part; by which the above Particulars are sufficiently proved.

If you think these Things new, and worth communicating to the Royal Society, I desire you will communicate this to them in such Manner as you think most proper: And that the Piece of Stomach (if worth the Acceptance of Sir Hans Sloane) may be presented to him, with my best Respects, as an Acknowledgment of the Esteem of,

SIR,

Your Humble Servant.

Ch. Price.